KONICA MINOLTA

Giving Shape to Ideas

YOUR RELIABLE BUSINESS PARTNER



bizhub 658e/558e/458e

Boost everyday **business productivity**

Achieve higher productivity with Konica Minolta bizhub 658e/558e/458e. Swiftly output monochrome documents at high resolution. Intuitively take advantage of feature-rich capabilities. Securely handle confidential business data. And flexibly complete high-volume jobs with advanced paper finishing options. Professional quality production of business documents has never been easier.





Warm-up Time 22 sec. or less*

Duplex Scanning 240 ipm^

First Copy Time 3.0 sec.#

Output 65 ppm△

*22 seconds or less on bizhub 658e and bizhub 558e (20 seconds or less on bizhub 458e).
^Single-pass duplex scanning
#3.5 seconds or less on bizhub 558e 4.0 seconds or less on bizhub 458e
△65 ppm on bizhub 658e
55 ppm on bizhub 558e
45 ppm on bizhub 458e

User-friendly multi-touch screen

The 9-inch multi-touch screen presents information with clarity in an intuitive user interface that everyone can understand.



Finisher FS-537 /FS-537SD

The newly developed optional FS-537/ FS-537SD multi-function finisher handles a wide range of post-processing tasks.



Simple, solid security

Flexible authentication support, easy initial security setup and other security conveniences simplify protection of company assets.

A more efficient, **streamlined workflow**

Operational ease and efficiency

User-friendly multi-touch screen

Operation is simplified by a user-friendly 9-inch multi-touch screen with intuitive user interface. The same touch gestures used on mobile devices can be used on the touch screen to simplify operation. Tap to select, double tap to activate, flick to scroll or pinch to magnify. Up to 23 shortcut keys can be set in the main menu for quick and easy access to frequently used functions.

Paper capacity

The standard 1,150-sheet paper capacity can be increased to 3,650 sheets by adding the optional Paper Feed Cabinet. It can be further increased to 6,650 sheets by also adding the optional Large Capacity Unit. Higher capacities let users handle higher-volume workloads with less downtime for paper replenishment.

*The paper supply capacity for all models is based on 80 g/m².

INFO-Palette design

Whether users operate bizhub 658e/558e/458e from its intuitive touch screen or from a connected PC or mobile device installed with our software, the same intuitive user interface is shared to make operation a breeze.




Operational ease and efficiency

Hardcopy digitisation

Scanned hardcopies can be saved as searchable PDFs*1 or editable files in the PowerPoint, Excel or Word format.*2 The files are small with excellent image quality and can be saved in the internal HDD or mobile devices.

* 1 Optional i-Option LK-102 v3 or LK-110v2 is required.
* 2 Editable Excel/Word formats require optional i-Option LK-110v2.



*Optional

PCs, servers, mobile devices, USB memory devices, etc.

High-speed colour scanning

Colour hardcopies are scanned with precision and speed on standard Dual Scan Document Feeder. Just place hardcopies in the feeder and press the Scan button to scan one-sided pages at 120 ipm (simplex) andtwo-sided pagesat240ipm (duplex).*


*When feeding A4 paper sideways (at 300 dpi resolution)



Optional finishers

Four optional finishers are available for post-processing tasks, including FS-537 /FS-537SD multi-function finisher, which handles wide-ranging tasks such as stapling of up to 100 sheets. Optional finishers FS-537 /FS-537SD, FS-536 and FS-536SD include booklet functions, folding functions and more. Optional inner finisher FS-533 handles stapling from within compact bizhub dimensions.

*FS-533 can only be installed in the bizhub 558e/458e



Features	Finishing image	FS-537*1, 2	FS-537SD*1, 2	FS-536*1, 2	FS-536SD*1, 2	FS-533	JS-506
Sorting (offset sorting)	Paper output position is shifted for each set	○	○	○	○	○	○
Stapling	Corner stapling (diagonal) / Corner stapling (parallel)*3 / Corner stapling (parallel)*3 / Two-point stapling (parallel)*3	Max. 100 sheets (52 – 80g/m²)	Max. 100 sheets (52 – 80g/m²)	Thin/normal (52 – 90g/m²): 50 sheets Thick (91 – 120g/m²): 30 sheets Extra thick (121 – 209g/m²): 15 sheets	Thin/normal (52 – 90g/m²): 50 sheets Thick (91 – 120g/m²): 30 sheets Extra thick (121 – 209g/m²): 15 sheets	Max. 50 sheets*4 (52 – 90g/m²)	–
Saddle stitching (booklet) & folding	Booklet / Centre-fold / Letter-fold	–	Max. 20 sheets	–	Max. 20 sheets	–	–
Z-folding	Z-folding	Z-folding unit ZU-609 (52 – 90g/m²)	Z-folding unit ZU-609 (52 – 90g/m²)	–	–	–	–
Punching	Two-hole punch / Upper two-hole punch	Punch kit PK-523 (up to 300g/m²)	Punch kit PK-523 (up to 300g/m²)	Punch kit PK-520 (up to 300g/m²)	Punch kit PK-520 (up to 300g/m²)	Punch kit PK-519 (up to 157g/m²)	–
Cover sheet & insert sheet	Cover sheet / Insert sheet	Post inserter PI-507 ○	Post inserter PI-507 ○	○	○	○	○

*1 Paper output to the main body is possible. Up to three output destinations can be set.
*2 Relay unit RU-513 is required.
*3 Parallel stapling is only compatible with A3, A4/85 vertical and A4/AS horizontal on FS-S37/FS-537SD/FS-536/FS-536S0.
*4 Diagonal corner stapling is not possible.



Easy connectivity

Connect with mobile devices

Enjoy a flexible mobile work style by using bizhub 658e/558e/458e together with iOS, Android and Windows 10 mobile devices. Users can take advantage of printing and other bizhub features through their favourite industry standard mobile technologies (see below).

bizhub Remote Access

The bizhub Remote Access app allows operation of bizhub 658e/558e/458e from Android devices and iPhone/iPad/iPod touch. Users can wirelessly operate bizhub hardware and software keys, enter data, import scanned data, send data from bizhub 658e/558e/458e using the mobile device's address book and more.

Convenient Mobile Touch Area

Pair Android mobile devices*1 with bizhub 658e/558e/458e by simply holding them close to the Mobile Touch Area on the multi-touch screen. NFC (Near Field Communication) ensures smooth, quick connections. The Mobile Touch Area can also be used to log in, print files, scan documents and import scanned data.*2 iOS devices pair using Bluetooth LE (BLE).*3

*1 Android OS 4.4 or higher and Konica Minolta Mobile Print must be installed.
*2 Initial setup required for logging in. Wireless LAN environment required for printing and scanning.
*3 Optional Device Connection I/F Kit EK-609 is required.

Wireless LAN*


Access Point mode and Simple Access Point mode via Wireless LAN allow computers and mobile devices in your office to wirelessly connect with bizhub 658e/558e/458e. This creates a fully independent network that supports BYOD (bring your own device) without additional investment. Connection with your company's existing wireless LAN is also supported.

* Optional Upgrade Kit UK-212 or UK-215 is required.

QR code display screen



AP mode and Simple AP mode (Wireless LAN)



Up to 5 devices can access bizhub 658e/558e/458e simultaneously in AP mode with UK-212 equipped. Up to 4 devices can access bizhub 658e/558e/458e simultaneously in Simple AP mode with UK-215.

Connect instantly without print drivers to industry standard mobile technologies

		Windows 10 Mobile	Android	iOS
AirPrint	**AirPrint** Print from any compatible printer on your company's wireless LAN using AirPrint, Apple's standard printing system. It is compatible with iOS 4.2 and Mac OS 10.7 or later.			✓
mopria	**Mopria Print Service** This wireless printing technology provides a universal print driver for printing from devices installed with Android 4.4 or later.		✓	
Google Cloud Print 2.0 Ready *Available soon	**Google Cloud Print** Leading technology connects bizhub 658e/558e/458e with the web so users can print from anywhere outside the office regardless of OS, device or application. Note: Google Cloud Print Setup and Google account registration are required.		✓	✓
	Konica Minolta Print Service This application enables printing directly from devices running Android 4.4 or later through your company's wireless LAN.		✓	
	Konica Minolta Mobile Print Connect mobile devices with bizhub 658e/558e/458e via Wi-Fi to print documents and images as well as import scanned data.	✓	✓	✓

Peace of mind meets **feature-rich flexibility**

Solid security

Easy authentication

Smooth and efficient password, IC card and biometric (finger vein) authentication are supported. In addition to regular authentication via server, server-free authentication can also be performed directly on the main unit with detailed control of access to each function, including copying, printing, scanning and faxing. These features complement your company's existing security measures to protect important data and hardcopy resources, prevent unauthorised bizhub access and strengthen risk management.

IC card authentication


Authentication is possible with various types of IC card. First command bizhub 658e/558e/458e to print from a PC or mobile device. Then wave the IC card over a card reader on bizhub 658e/558e/458e to print. Authentication can also be performed with any Android device* equipped with an NFC antenna.

*Requires Android 4.4 or later that supports HCE (Host Card Emulation) or PageScope Mobile for Androidv4.1 or later.
Notes: Optional Authentication UnitAU-201S is required.
Compliant non-contact IC cards include FeliCa (IDm), SSFC, FCF, FCF(campus), Felica Private and MIFARE(UID).



TPM (Trusted Platform Module)


Confidential information such as certificates and passwords can be securely managed in bizhub 658e/558e/458e. Just activate the TPM function to encrypt the information and save it in a dedicated storage area in the TPM security chip. This prevents unauthorised reading from external devices.



*Optional i-Option LK-115 v2 is required.

HDD mirroring*

This feature ensures that all data saved on the main HDD is always saved on a backup HDD as well. If the main HDD fails, bizhub 658e/558e/458e automatically switches to the backup HDD to prevent operational downtime and data loss.



*Optional HDD Mirroring Kit HD-524 is required.

PDF password protection

When saving scanned data as a PDF file, the data can be encrypted to prevent opening of the file unless the user inputs the correct password. The user can also encrypt the PDF with his or her digital certificate, create a PDF/A-based PDF file* and add file properties.



*Optional upgrade Kit UK-211 is required. i-Option LK-102 v3 or LK-110 v2 is also required.

Compliance with industry standards*

This model meets IEEE 2600.1 international protection profile standards, ensuring a high level of document security. All security features have been independently evaluated and certified ISO 15408 EAL3 compliant.

*Application is still pending as of August 2017.

Peace of mind meets **feature-rich flexibility**


Versatile features

Emperon printing system

Emperon print controller provides network printing functions through standardised printer drivers for PCL and Adobe® Postscript® 3 emulation. Diverse settings allow fine image adjustment such as for glossy mode and edge enhancement. Emperon controller is fully compatible with Windows, Mac, Linux, Unix, Citrix, SAP and other operating systems and printing environments.

N-in-One copying

It's easy to copy multiple pages on a single sheet of paper to reduce paper costs and facilitate viewing of related pages. Users can copy up to 8 pages on a single side of paper when scanning a paper document and up to 16 pages when printing from a file.



Banner print*

Create appealing promotional materials in-house on bizhub 658e/558e/458e. Simply select the Banner Print feature and select the file to print. Then place the long paper (up to 1,200mm) in the bypass tray with the paper setting guide flipped up. When ready, print away for big, beautiful results.

*Requires Optional Banner Paper Setting Guide MK-730.




USB port

The USB port allows transferring of files to and from bizhub 658e/558e/458e via flash drive. Once a file is stored in bizhub 658e/558e/458e, it can be used to output documents or transferred to other devices.


Notes: Compatible with PDF, Compact PDF,JPEG, TIFF, XPS, Compact XPS, OOXML (docx, xlsx, pptx) files. Some USB flash drives may not be compatible. Print output may differ from what appears on the PC screen.





ID copy

This feature makes it easy to print the front and back of an ID card on the top and bottom of a single page. For extra easy access, place an ID Copy shortcut button on the top screen.



Automatic paper size measurement


Automatic paper size measurement can automatically measure the size of non-standard sized paper placed on the glass platen. It can also register the size in memory if desired. These features make it easy for anyone to handle non-standard paper sizes without making measuring mistakes or input errors.

Trays 1 and 2 of the standard cassette can feed non-standard size paper, which makes loading paper very easy when you need to bulk-print on non-standard size paper.


Size		Basis weight
Tray 1	width: 139.7–297mm length: 182mm–431.8mm	52–256g/m^2
Tray 2	width: 139.7–320mm length: 182mm–457.2mm	

Server-less pull printing

bizhub 658e/558e/458e supports server-less pull printing. Users can send data to a main MFP and authenticate themselves at any MFP on the network print group (up to 10 MFPs x 10 groups) to pull the print job.



Pull-Printing



Up to 100 MFPs can be connected without a server.


Note: Optional i-Option LK-114 must be installed on bizhub 658e/558e/458e.

Minimal environmental impact

Low power consumption

bizhub 658e/558e/458e minimises energy use during normal operation. It easily clears the latest Energy Star Program TEC standards and reduces both CO_2 emissions and TCO.

TEC values (kWh)



*Values for 220-240 V

*TEC values applied to the International Energy Star Program Version 2.0

Sleep mode

bizhub 658e/558e/458e automatically switches to sleep mode after a user-defined period of inactivity. This mode reduces power consumption to a mere 0.5W by cutting off power to the CPU. When users want to use bizhub 658e/558e/458e again, it switches back to full power in seconds.



Eco-friendly materials

Approximately 64% of the outer surfaces and 30% of the weight of resin parts on bizhub 658e/558e/458e consist of recycled materials. This includes PC/PET developed by Konica Minolta using advanced chemical processing technology. 70% of PC/PET on surfaces within the unit is PCR (post-consumer recycled).



Recycled PC/ABS



KONICA MINOLTA

Konica Minolta
Business Solutions Australia Pty Ltd

Free Call 1800 789 389
konicaminolta.com.au

New South Wales

Konica Minolta House
4 Drake Avenue
Macquarie Park NSW 2113
(02) 8026 2222

ACT

1/55 Wentworth Avenue
Kingston ACT 2604
(02) 6206 6500

Victoria

Level 5, 441 St Kilda Road
Melbourne VIC 3004
(03) 8699 0777

South Australia

L1 84 Greenhill Road
Wayville SA 5034
(08) 8231 2911

Queensland

Level 9, 100 Skyring Terrace
Newstead QLD 4006
(07) 3872 9100

Western Australia

140 Hay Street
Subiaco WA 6008
(08) 6380 3700

bizhub 658e/558e/458e

Copy | Print | Scan | Fax *1 | Resolution 1,200 dpi | 300 sheet ADF | 240 ipm

USB Print | USB Scan | Mobile Support | Linux Support | IC-Card Authentication *2 | Bio-plastic | Recycled PC/PET | RoHS Compliance | WEEE Compliance | Production at ISO Certified Factories

1. Option in some regions 2. Optional

Ecology & Environment

KONICA MINOLTA copiers and multi-functional products are designed with the environment in mind.

- Energy Star
- RoHS Compliance
- WEEE Compliance
- Eco-conscious Toners
- Production at ISO Certified Factories

⚠ Requirements for safe use.

- Please read and follow the instruction manual to ensure safe operation.
- Only operate using appropriate power supply and voltage.
- Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly (Taiwan and the Philippines only).

Product appearance, configuration and/or specificants are subject to change without notice.

The Konica Minolta logo and the symbol mark, are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, PageScope, Simitri and the Emperon logo are registered trademarks or trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Windows is registered trademark of Miscrosoft Corporation in the United States and other countries. Adobe and PostScript are registered trademarks or trademarks of Adobe Systems Incorporated. All other brand and product names are registered trademarks or trademarks of their respective owners.

Printed on a Konica Minolta AccurioPrint C2060L